

6. Border Tracing Algorithm

6.1. Objectives:

The purposes of this laboratory session are:

- to extract the objects' contours using a border tracing algorithm;
- to represent efficiently each extracted contour using chain codes;
- to take advantage of using chain codes in representing the objects' contours (border reconstruction, matching, merging etc.).

6.2. Theoretical Background

6.2.1. Border Tracing Algorithm

The border tracing algorithm is used to extract the contours of the objects (regions) from an image. When applying this algorithm it is assumed that the image with regions is either binary or those regions have been previously labeled.

Algorithm's steps:

1. Search the image from top left until a pixel of a new region is found; this pixel P_0 is the starting pixel of the region border. Define a variable dir which stores the direction of the previous move along the border from the previous border element to the current border element. Assign
 - (a) $dir = 0$ if the border is detected in 4-connectivity (Fig. 6.1a)
 - (b) $dir = 7$ if the border is detected in 8-connectivity (Fig. 6.1b)
2. Search the 3x3 neighborhood of the current pixel in an anti-clockwise direction, beginning the neighborhood search at the pixel positioned in the direction
 - (a) $(dir + 3) \bmod 4$ (Fig. 6.1c)
 - (b) $(dir + 7) \bmod 8$ if dir is even (Fig. 6.1d)
 - (c) $(dir + 6) \bmod 8$ if dir is odd (Fig. 6.1e)

The first pixel found with the same value as the current pixel is a new boundary element P_n . Update the dir value.
3. If the current boundary element P_n is equal to the second border element P_1 and if the previous border element P_{n-1} is equal to P_0 , stop. Otherwise repeat step (2).
4. The detected border is represented by pixels $P_0 \dots P_{n-2}$.




Fig. 6.1(a) Direction notation, 4-connectivity, (b) 8-connectivity, (c) pixel neighborhood search sequence is 4-connectivity, (d),(e) search sequence in 8-connectivity, (f) boundary tracing in 8-connectivity (dashed lines show pixels tested during the border tracing).

Given the base point and the chain code, the boundary of the triangle can be completely reconstructed. The chain code is an efficient way of storing boundary information because it requires only three bits ($2^3 = 8$) to determine any one of the eight directions.




Fig. 6.3 Chain code directions with associated direction numbers

Chain codes may be made position-independent by ignoring the “start point”. If they represent closed boundaries they may be “start point normalized” by choosing the start point so that the resulting sequence of direction codes forms an integer of minimum magnitude.

The “derivative” of the chain code is useful because it is invariant under boundary rotation. The derivative (really a first difference mod 4 or 8) is simply another sequence of numbers indicating the relative direction of chain code segments; the number of left hand turns of $\pi/2$ or $\pi/4$ needed to achieve the direction of the next chain segment. A *mod 4* or *mod 8* difference is called a chain code *derivative* (see Fig. 6.4!).




Fig. 6.4 Chain code in 4-connectivity and its derivative.

Code: 3, 0, 0, 3, 0, 1, 1, 2, 1, 2, 3, 2

Derivative: 1, 0, 3, 1, 1, 0, 1, 3, 1, 1, 3, 1

Chain codes properties:

- Chain codes describe an object by a sequence of unit-size (4-connectivity) line segments with a given orientation.
- The first element of such a sequence must bear information about its position to allow reconstruction of the region.
- Even codes {0, 2, 4, 6} correspond to horizontal and vertical directions; odd codes {1, 3, 5, 7} correspond to the diagonal directions.
- Each code can be considered as the angular direction, in multiples of 45 degrees that we must move to go from one contour pixel to the next.
- The absolute coordinates of the first contour pixel (e.g. top, leftmost) together with the chain code of the contour represent a complete description of the discrete region contour.
- When there is a change between two consecutive chain codes, then the contour has changed direction. This point is defined as a *corner*.

6.3. Practical Work

Using the OpenCV Application framework and the laboratory's additional images and files:

1. Implement the border tracing algorithm and draw the object contour on an image having a single object.
2. Starting from the border tracing algorithm write the algorithm that builds the chain code and derivative chain code for an object. Compute and display (command line or output text file) both codes (chain code and derivative chain code) for an image with a single object.
3. Implement a function that reconstructs (draws) the border of an object over an image having as inputs the start point coordinates and the chain code in 8-neighborhood (*reconstruct.txt*). Load the image *gray_background.bmp* and apply the function that reconstructs the border. You should obtain the contour of the word "EXCELLENT" (having all the letters connected).
4. **Save your work. Use the same application in the next laboratories. At the end of the image processing laboratory you should present your own application with the implemented algorithms!!!**

Additional info:

The test images with a single object have:

- 8 bits/pixel
- index 0 for object's pixels (black pixels)
- other index value for background pixels (white pixels)

The file *reconstruct.txt* is a text file having:

- on the first line the start point coordinates (row column) separated with a space;
- on the second line the number of chain codes;
- on the third line the chain codes (sequence of directions in 8-connectivity) separated with a space.

Bibliography

- [1] Border Tracing – Digital Image Processing lectures, The University of Iowa, <http://www.icaen.uiowa.edu/~dip/LECTURE/Segmentation2.html#tracing>
- [2] Contour Representations – Quantitative Imaging Group, Delft University <http://www.ph.tn.tudelft.nl/Courses/FIP/noframes/fip-Contour.html#Heading27>
- [3] G.X. Ritter, J.N. Wilson – Handbook of Computer Vision Algorithms in Image Algebra Second Edition – Chapter 10.4 Chain Code Extraction and Correlation, CRC Press, New York 2001
- [4] Chain Codes – Digital Image Processing lectures, The University of Iowa <http://www.icaen.uiowa.edu/~dip/LECTURE/Shape2.html#chaincodes>
- [5] Representation of Two-Dimensional Geometric Structures, http://homepages.inf.ed.ac.uk/rbf/BOOKS/BANDB/LIB/bandb8_12.pdf